



Hegor®

Multiple Level Loop

ULTIMATE

Carpet Tile Collection



INDEX

TRENDS - [PG 5 TO 13](#)

FOCUS - [PG 14 TO 21](#)

SOFTLINE - [PG 23 TO 31](#)

PULSE - [33 TO 42](#)

DISCOVER THE PERFECT BLEND OF STYLE, PERFORMANCE, AND VERSATILITY WITH OUR **ULTIMATE CARPET TILE COLLECTION.**

ULTIMATE RANGE IS DIVIDED INTO **FOUR DISTINCT DESIGNS**, EACH BRINGING ITS OWN UNIQUE CHARACTER:

•**TRENDS**: BOLD LINEAR PATTERNS WITH SUBTLE HIGHLIGHTS—PERFECT FOR ENERGIZING MODERN SPACES.

•**PULSE**: SLEEK, PLAIN TILES FOR A CLEAN AND PROFESSIONAL LOOK.

•**SOFTLINE**: TIMELESS LINEAR DESIGNS THAT ADD TEXTURE AND FLOW.

•**FOCUS**: PREMIUM CARPET PLANKS DESIGNED FOR DIRECTIONAL LAYOUTS AND FLEXIBLE ZONING.

WITH **18 THOUGHTFULLY CURATED SKUS**, THIS COLLECTION OFFERS A WIDE VARIETY OF COLOR AND PATTERN OPTIONS TO COMPLEMENT ANY INTERIOR STYLE.



PULSE



25501
LIGHT GREY

25502
MID GREY


25503
CARBON

25504
BLUE

25505
BEIGE

25506
CHOCOLATE

SOFT LINE




25507
BLACK

25509
DARK GREY

25508
DENIM BLUE


25510
BROWN BEIGE

FOCUS (PLANK)



25515 - GREY


25516 - GREY ORANGE



25517 - BLACK

25518 - B GREEN

TRENDS



25511
BLUE ORANGE

25512
LIGHT GREY RED

25513
BROWN YELLOW

25514
DARK GREY GREEN




REDEFINE OFFICE SPACES
WITH THE ULTIMATE CARPET
TILE PREMIUM

PERFORMANCE MEETS
MODERN AESTHETIC
CRAFTED FROM 100%
SOLUTION-DYED
POLYPROPYLENE, EACH TILE
IS ENGINEERED FOR
DURABILITY, EVEN IN HIGH-
TRAFFIC AREAS. DESIGNED
FOR COMMERCIAL
ENVIRONMENTS, THESE
TILES PROVIDE NOT ONLY
LASTING VISUAL APPEAL
BUT ALSO COMFORT
UNDERFOOT AND
EXCELLENT ACOUSTIC
PERFORMANCE.

**DESIGN FREEDOM WITH
MODULAR FLEXIBILITY**

WHETHER YOU'RE DEFINING
COLLABORATIVE ZONES,
WALKWAYS, OR BREAKOUT
AREAS, THE MODULAR
FORMAT OF CARPET TILES
AND PLANKS ENABLES
EFFORTLESS INSTALLATION
AND MATCH COLLECTIONS
TO CREATE CUSTOM
LAYOUTS THAT REFLECT
YOUR BRAND IDENTITY AND
SPACE FUNCTIONALITY.

SMART, S & STYLISH
BUILT TO MEET STRINGENT
QUALITY STANDARDS FOR
SAFETY & PERFORMANCE,
THE **ULTIMATE CARPET TILE**
COLLECTION IS AS
RESPONSIBLE AS IT IS
REFINED. DESIGNED FOR
MODERN WORKSPACES, IT
OFFERS A SUSTAINABLE
FLOORING SOLUTION THAT
DOESN'T COMPROMISE ON
STYLE.




Hego®

25512-LIGHT GREY RED
25513-BROWN YELLOW
25514-DARK GREY GREEN



TRENDS

Hego®



25511-BLUE ORANGE
TRENDS



Hego®




25511-BLUE ORANGE
TRENDS

Hego®




25512-LIGHT GREY RED
TRENDS

Hego®



25512-LIGHT GREY RED
TRENDS

Hego®



25513-BROWN YELLOW
TRENDS



Hego®



25513-BROWN YELLOW
TRENDS

Hego®



25514-DARK GREY GREEN
TRENDS





25514-DARK GREY GREEN
TRENDS

Hego®



FOCUS

Hego®



25515-GREY
FOCUS



Hego®



25515-GREY
FOCUS


Hego®



25516-GREY + ORANGE
FOCUS




Hego®



25516-GREY + ORANGE
FOCUS

Hego®



25517-BLACK
FOCUS

Hego®



25517-BLACK
FOCUS

Hego®



25518-BLACK+GREEN
FOCUS



Hego®



25518-BLACK+GREEN
FOCUS


Hego®

25509-GREY
25110-BEIGE0



SOFTLINE

Hego®



25507-BLACK
SOFTLINE




Hego



25508-DENIM BLUE
SOFTLINE




Hego®



25509-DARK GREY
SOFTLINE

Hego®




25110-BROWN BEIGE
SOFTLINE





25507-BLACK
25509-DARK GREY
SOFTLINE

Hego®



25507-BLACK
25508-OCEAN BLUE
25509-DARK GREY
SOFTLINE

Hego®



25509-GREY
25110-BROWN BEIGE
SOFTLINE

Hego®



25507-BLACK
25509-DARK GREY
SOFTLINE

Hego®




25508-DENIM BLUE
25509-DARK GREY
SOFTLINE




5505-BEIGE
25506-CHOCOLATE
PULSE



PULSE



25501-LIGHT GREY
PULSE



25502-MID GREY
PULSE



Hego



25501-LIGHT GREY
25503-CARBON
PULSE



Hego®



25503-CARBON
PULSE



Hego®



25501-LIGHT GREY
25502-MID GREY
25503-CARBON
PULSE

Hego®



25504-BLUE
PULSE





25501-LIGHT GREY
25504-BLUE
PULSE



Hego®



5505-BEIGE
PULSE






25501-LIGHT GREY
25505-BEIGE
PULSE



Hego®



25506-CHOCOLATE
PULSE





5505-BEIGE
25506-CHOCOLATE
PULSE



TECHNICAL SPECIFICATIONS

	PULSE	SOFTLINE TRENDS FOCUS
CONSTRUCTION	LEVEL LOOP	LEVEL LOOP
YARN	100% POLYOLEFIN	100% POLYOLEFIN
COLOUR SYSTEM	SOLUTION DYED	SOLUTION DYED
BACKING STRUCTURE	NON-WOVEN WITH ECO BLACK	NON-WOVEN WITH ECO BLACK
GAUGE	5/51	5/51
PILE WEIGHT	450 G/M2	475 G/M2
TOTAL WEIGHT	2800 G/M2	3000 G/M2
TOTAL HEIGHT	4.5-5 MM	4.5-5 MM
TILE SIZE	50 CM X 50 CM	SOFTLINE, TRENDS - 50 CM X 50 CM FOCUS - 25CM X 100 CM
QTY IN BOX	32 PCS / 8 SQ_MTR	32 PCS / 8 SQ_MTR
SMOKE DENSITY	PASSES (ASTM E662: GB/T 8627-1999)	PASSES (ASTM E662: GB/T 8627-1999)
FIRE CLASS	PASSES (ASTM E648; GB 8624-2206)	PASSES (ASTM E648; GB 8624-2206)
STATIC PROPENSITY	<3.0KV (AATCC-134:GB/T 18044-2000)	<3.0KV (AATCC-134:GB/T 18044-2000)

NOTE:

- DEPENDING ON THE INSTALLATION METHOD, SEAMS MAY REMAIN VISIBLE. THIS IS NOT CONSIDERED A DEFECT IN CARPET TILES.
- THE SUBFLOOR MUST BE DRY, SMOOTH, FLAT, AND FREE OF DIRT OR DEBRIS THAT COULD AFFECT THE INSTALLATION OF CARPET TILES.
- CHAIR PROTECTORS ARE RECOMMENDED UNDER OFFICE CHAIRS TO PREVENT PREMATURE WEAR AND MAINTAIN THE CARPET TILES' AESTHETIC APPEAL.
- CARPET MAINTENANCE SHOULD BE CARRIED OUT BY PROFESSIONAL CLEANERS ON A REGULAR BASIS TO EXTEND THE PRODUCT'S LIFESPAN.
- REGULAR USE OF A VACUUM CLEANER WITH A BRUSH ATTACHMENT IS THE MOST EFFECTIVE WAY TO CARE FOR CARPET TILES.

TRAFFIC LEVEL	VACUUM	PILE LIFT
LIGHT	EVERY 3-4 DAYS	AS NEEDED
MEDIUM	EVERY 2-4 DAYS	EVERY 6 MONTHS
HEAVY	EVERY DAY	QUARTERLY



Sound Insulation



Heat Insulation



Anti-static



Colorfast



Wearproof

CARPET TILE INSTALLATION INSTRUCTION:



MONOLITHIC INSTALLATION



QUARTER TURN/
PARQUET
INSTALLATION



ASHLAR
INSTALLATION



NON DIRECTIONAL
INSTALLATION



BRICK
INSTALLATION




(1) START FROM
ROOM CORNER



(2) START FROM
ROOM CENTER


CARPET PLANK INSTALLATION INSTRUCTION:




MONOLITHIC




DOUBLE HERRINGBONE




HERRINGBONE



HALF DROP



RANDOM DROP



BRICK



BE ULTIMATE



Hego[®]